## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

(Currently Amended) An electronic device comprising:

 a circuit board, at least part of which is formed of two or more types of

 semiconductor chips having different functions, arranged so as not to overlap, and fixed to each other; and

a plurality of operating elements provided over the circuit board, wherein:

the two or more types of semiconductor chips include a group of first

semiconductor chips and a group of second semiconductor chips;

each of the first semiconductor chips has a first circuit which drives the operating elements; and

each of the second semiconductor chips includes a second circuit which controls the first circuits.

- 2. (Canceled)
- (Currently Amended) The electronic device as defined in claim 21, wherein: the first semiconductor chips are arranged in a plurality of rows and columns;
  - 4. (Original) The electronic device as defined in claim 3, wherein each of the first circuits of the first semiconductor chips is controlled

one of the second semiconductor chips is disposed in each of the columns.

by the second circuit of the second semiconductor chip arranged in the same column.

- 5. (Currently Amened Amended) The electronic device as defined in claim 21, wherein at least one of the first semiconductor chips has a buffer which amplifies an input signal and outputs the amplified signal.
- 6. (Original) The electronic device as defined in claim 3, wherein at least one of the first semiconductor chips has a buffer which amplifies an input signal and outputs the amplified signal.
- 7. (Original) The electronic device as defined in claim 4, wherein at least one of the first semiconductor chips has a buffer which amplifies an input signal and outputs the amplified signal.

- 8. (Original) The electronic device as defined in claim 1, further comprising an interconnecting layer provided between the circuit board and the operating elements.
- 9. (Original) The electronic device as defined in claim 8, wherein:
  the interconnecting layer includes a plurality of first interconnects which do
  not intersect each other and a plurality of second interconnects which do not intersect each
  other; and

the first and second interconnects are arranged to intersect each other into a lattice structure.

- 10. (Original) The electronic device as defined in claim 9,
  wherein one of two voltages having the largest potential difference among
  voltages used in the first semiconductor chips is applied to the first and second interconnects.
- 11. (Currently Amended) The electronic device as defined in claim 1, wherein: the operating elements include a first operating element disposed outside of one of the first semiconductor chips, and a second operating element disposed to overlap one of the first semiconductor chips; and

each of the first semiconductor chips has a first contact section disposed on an edge portion of the first semiconductor chip to be electrically connected to the first operating element, and a second contact section disposed in a center portion of the first semiconductor chip except the edge portion and electrically connected to the second operating element.

- 12. (Canceled)
- 13. (Currently Amended) The electronic device as defined in claim 3, wherein: the operating elements <u>includes include</u> a first operating element disposed outside of one of the first semiconductor chips, and a second operating element disposed to overlap one of the first semiconductor chips; and

each of the first semiconductor chips has a first contact section disposed on an edge portion of the first semiconductor chip to be electrically connected to the first operating element, and a second contact section disposed in a center portion of the first semiconductor chip except the edge portion and electrically connected to the second operating element.

- 14. (Original) The electronic device as defined in claim 11, wherein the second operating element is disposed to overlap the second contact section.
  - 15. (Canceled)
  - 16. (Original The electronic device as defined in claim 13,

wherein the second operating element is disposed to overlap the second contact section.

- 17. (Original) The electronic device as defined in claim 1,
  wherein each of the operating elements includes one of light-emitting layers
  each of which emits one of a plurality of colors.
- 18. (Original) An electronic instrument comprising the electronic device as defined in claim 1.

19-20. (Canceled)